



STEEL / STEEL OPEN TYPE RIVETS**Dome Head Rivets****BODY: Steel****MANDREL: Steel****Finish: Zinc plated**

D Nom.	Part number	Grip Range	L(Max.)	H Nom.	E Max.	Hole Size	P Min.	Shear N	Tensile N
mm	mm	MM							
	SS3-2	0.5-3.2	6.4	4.8	0.81	2.5-2.6	25.4	580N	760N
2.4mm	SS3-4	3.2-6.4	9.5						
	SS3-6	6.4-9.5	12.7						
	SS4-1	0.5-1.6	5.4						
	SS4-2	1.6-3.2	7						
3.2mm	SS4-3	3.2-4.8	8.6	6.4	1.02	3.3 - 3.4	27	1160N	1380N
	SS4-4	4.8-6.4	10.2						
	SS4-5	6.4-7.9	11.7						
	SS4-6	7.9-9.5	13.3						
	SS4-8	9.5-12.7	16.5						
	SS4-10	12.7-15.9	19.7						
	SS5-2	0.5-3.2	7.6						
4.0mm	SS5-3	3.2-4.8	9.2	7.9	1.27	4.1 - 4.2	27	1650N	2100N
	SS5-4	4.8-6.4	10.8						
	SS5-6	6.4-9.5	14						
	SS5-8	9.5-12.7	17.1						
	SS5-10	12.7-15.9	20.3						
	SS5-16	22.2-25.4	29.8						
	SS6-2	0.5-3.2	8.3						
	SS6-3	3.2-4.8	9.8						
	SS6-4	4.8-6.4	11.4						
4.8mm	SS6-6	6.4-9.5	14.6						
	SS6-8	9.5-12.7	17.8	9.5	1.52	4.9 - 5.0	27	2400N	3030N
	SS6-10	12.7-15.9	21						
	SS6-12	15.9-19.1	24.1						
	SS6-14	19.1-22.2	27.3						
	SS6-16	22.2-25.4	30.5						
	SS6-18	25.4-28.6	33.7						
	SS6-20	28.6-31.8	36.8						
	SS8-2	0.5-3.2	9.5						
	SS8-4	3.2-6.4	12.7						
	SS8-6	6.4-9.5	15.9						
6.4mm	SS8-8	9.5-12.7	19.1	12.7	2.03	6.5 - 6.6	32	4450N	5520N
	SS8-10	12.7-15.9	22.2						
	SS8-12	15.9-19.1	25.4						
	SS8-14	19.1-22.2	28.6						
	SS8-16	22.2-25.4	31.8						
	SS8-18	25.4-28.6	34.9						

Note: Products in this catalogue are subject to availability

STEEL / STEEL OPEN TYPE RIVETS**Countersunk Head Rivets****BODY: Steel****MANDREL: Steel****Finish: Zinc Plated**


D Nom.	Part Number	Grip Range	L(Max.)	H Nom.	E Ref.	Hole Size	P Min.	Shear N	Tensile N
mm	mm	mm							
	SSC4-2	2.3-3.2	7						
	SSC4-3	3.2-4.8	8.6						
	SSC4-4	4.8-6.4	10.2						
3.2mm	SSC4-5	6.4-7.9	11.7	5.6	0.79	3.3 - 3.4	27	1160N	1380N
	SSC4-6	7.9-9.5	13.3						
	SSC4-8	9.5-12.7	16.5						
	SSC5-3	3.0-4.8	9.2						
	SSC5-4	4.8-6.4	10.8						
4.0mm	SSC5-6	6.4-9.5	14	7.1	1.02	4.1 - 4.2	27	1650N	2100N
	SSC5-8	9.5-12.7	17.1						
	SSC6-3	3.8-4.8	9.8						
	SSC6-4	4.8-6.4	11.4						
4.8mm	SSC6-6	6.4-9.5	14.6	8.8	1.25	4.9-5.0	27	2400N	3030N
	SSC6-8	9.5-12.7	17.8						
	SSC6-10	12.7-15.9	21						
	SSC8-4	3.2-6.4	12.7						
6.4mm	SSC8-6	6.4-9.5	15.9	11.9	1.52	6.5-6.6	32	4450N	5520N
	SSC8-8	9.5-12.7	19.1						

Note: Products in this catalogue are subject to availability

Head Office: Concept Fasteners VIC
 9 Flight Drive, Tullamarine 3043, Victoria
 Tel: (03) 9338 6633 Fax: (03) 9338 6433
 : sales@conceptfasteners.com.au

Head Office: Concept Fasteners NSW
 5 Liverpool St, Ingleburn 2565, NSW
 Tel: (02) 9774 4416
 : salesnsw@conceptfasteners.com.au

Head Office: Concept Fasteners QLD
 Brisbane Branch Coming Soon!
 : qldsales@conceptfasteners.com.au

STEEL / STEEL OPEN TYPE RIVETS**Large Flange Dome Head Rivets****BODY: Steel****MANDREL: Steel****Finish: Polished / Zinc Plated**

D Nom.	Part number	Grip Range	L(Max.)	H Nom.	E Max.	Hole Size	P Min.	Shear N	Tensile N
mm	mm	mm	mm						
	SS4-2LF	1.6-3.2	7						
	SS4-3LF	3.2-4.8	8.6						
	SS4-4LF	4.8-6.4	10.2						
	SS4-5LF	6.4-7.9	11.7						
3.2mm	SS4-6LF	7.9-9.5	13.3	9.5	1.65	3.3 - 3.4	27	1160N	1380N
	SS4-8LF	9.5-12.7	16.5						
	SS4-10LF	12.7-15.9	19.7						
	SS5-2LF	0.5-3.2	7.6						
	SS5-3LF	3.2-4.8	9.2						
	SS5-4LF	4.8-6.4	10.8						
4.0mm	SS5-6LF	6.4-9.5	14	12	1.9	4.1 - 4.2	27	1650N	2100N
	SS5-8LF	9.5-12.7	17.1						
	SS5-10LF	12.7-15.9	20.3						
	SS6-2LF	0.5-3.2	8.3						
	SS6-3LF	3.2-4.8	9.8						
	SS6-4LF	4.8-6.4	11.4						
	SS6-6LF	6.4-9.5	14.6						
	SS6-8LF	9.5-12.7	17.8						
4.8mm	SS6-10LF	12.7-15.9	21	16	2.33	4.9 - 5.0	27	2400N	3030N
	SS6-12LF	15.9-19.1	24.1						
	SS6-14LF	19.1-22.2	27.3						
	SS6-16LF	22.2-25.4	30.5						
	SS6-18LF	25.4-28.6	33.7						

Note: Products in this catalogue are subject to availability